





series

# PANAMA unglazed porcelain stonewa

unglazed porcelain stoneware
UNI EN14411
Annexe Group B1a









### **PANAMA**

## PA Series

Unglazed Porcelain









PA-100 Aqua

PA-101 Sand

PA-102 Earth

PA-103 Tobacco










PA-104 Chalk

PA-105 Graphite

PA-106 Mist

PA-107 Fog



Slip Resistance			
	R10	+36	
<i>~</i>	В		



















Unglazed Porcelain

### TECHNICAL FEATURES

	Norm Standards	Test Results
Water absorption	UNE-EN-ISO 10545-3	<= 0.05%
Frost resistance	UNI EN ISO 10545-12	Resistant
Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	Unaffected
Wear and abrasion resistance	UNI EN ISO 10545-7	<=140 mm3
Thermal shock resistance	UNI EN ISO 10545-9	Resistant
Slip resistance	DIN 51130 DIN 51097 BS 7976-2:2002 (Slider 96)	R10 B Dry 64 / Wet 39
Stain resistance	UNI EN ISO 10545-14	Class 5

### **Waxman Ceramics Architectural Tiles**

Head Office 01422 377123

Grove Mills Elland West Yorkshire HX5 9DZ England

Email info@waxmanarchitectural.co.uk Web www.waxmanarchitectural.co.uk

Waxman Ceramics Architectural Tiles is a division of Waxman Ceramics Ltd - Part of the Waxman Group

The information contained within this document is, to the best of our knowledge, accurate at the time of production. We reserve the right to modify this document at any time. Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide. Please refer to actual product samples before specifying or ordering.