

FEATHER

Glazed Ceramic Wall Tiles
EN14411 Annexe G Group Bla



Waxman Ceramics
Architectural Tiles






TILE COLOURS

Glazed Ceramic


MATT



FE-600
AQUA MATT




FE-601
IVORY MATT




FE-602
PEARL MATT




FE-603
MUSHROOM MATT



FE-604
SAGE MATT



FE-605
EARTH MATT



FE-606
WHITE MATT

GLOSS



FE-610
BLACK GLOSS




FE-611
EMERALD GLOSS



FE-612
GARNET GLOSS




FE-613
GREEN GLOSS



FE-614
BLUE GLOSS



FE-618
WHITE GLOSS



FE-615
HONEY GLOSS



FE-616
PEARL GLOSS



8x21.5cm

TECHNICAL

Glazed Ceramic

		Norm Standards	Test Results
	Product Classification	UNI EN 14411	Glazed Ceramic EN14411 Annexe L BIII
	Dimensional and surface quality	UNI EN ISO 10545-2	Complies
	Water absorption	UNE-EN-ISO 10545-3	>10%
	Flexural strength	UNI EN ISO 10545-4	$\geq 12 \text{ N/mm}^2$
	Frost resistance	UNI EN ISO 10545-12	NO (Interior use only)
	Thermal shock resistance	UNI EN ISO 10545-9	Complies
	Stain resistance	UNI EN ISO 10545-14	Complies

 **Waxman Ceramics**

 **01422 311331**

 **www.waxmanarchitectural.co.uk**

 **info@waxmanceramics.co.uk**

 **Waxman Ceramics
Grove Mills
Elland
West Yorkshire
HX5 9DZ**

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.