



Wall Tiles AS/AR Series Floor Tiles N Series UNI EN14411 Annexe L Group B111 GL UNI EN14411 Annexe H Group B1b GL




### COI OURS







1























### FTNTSHES




2.5x2.5cm / 5x5cm / 10x10cm


## GROOVED PIECES


### 20 x 20cm Grooved

3 different "scored surface" tiles are as follows:

See size/colour chart for available colours







2.5x2.5cm

5x5cm

10x10cm





2.5x2.5cm Scored Surface

## SIZES/COLOUR CHART

				Size (Thickness)				20x20cm Precut			Anti Slip	
Waxman Codes	Wall Tiles (Glossy)	Wall Tiles (Matt)	Floor Tiles	<b>15x15</b> (7mm)	<b>20x20</b> (7mm)	<b>10x30</b> (7mm)	<b>20x40</b> (7mm)	<b>30x30</b> (7mm)	<b>2.5x2.5</b> (7mm)	<b>5x5</b> (7mm)	10x10 (7mm)	<b>20x20</b> (7mm)
Farnham	AS-00	AR-00	N-00	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	N
Huntingdon	AS-01	AR-01	N-01	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	N
Arran	AS-02	AR-02	N-02	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	N N
Mercury	AS-03	AR-03	N-03	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	- ' '	.,	.,	
Lead	AS-04	AR-04	N-04	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	N
Minster	AS-05	AR-05	N-05	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	- '`	.,	- ' '	
Windsor	AS-07	AR-07	N-07	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Ardennes	AS-09	AR-09	N-09	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	N
Queensland	AS-10	AR-10	N-10	AS/AR		AS/AR/N	AS/AR	N	N	N		N
Perth	AS-10 AS-12	AR-10 AR-12	N-10	AS/AR AS/AR	AS/AR/N AS/AR/N	AS/AR/N	AS/AR AS/AR	N N	IN	IN	N	N
Bavaria			N-12 N-14					N N	N	N	N	
	AS-14 AS-15	AR-14 AR-15		AS/AR	AS/AR/N	AS/AR/N AS/AR/N	AS/AR		IN	IN	IN	
Harmony			N-15	AS/AR	AS/AR/N		AS/AR	N	NI.	N	N	
Dalaman	AS-18	AR-18	N-18	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	
Skye	AS-22	AR-22	N-22	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	
Chameleon	AS-23	AR-23	N-23	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	
Kenya	AS-28	AR-28	N-28	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Namibia	AS-32	AR-32	N-32	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Jersey	AS-35	AR-35	N-35	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Amazon	AS-38	AR-38	N-38	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Ottoman	AS-40	AR-40	N-40	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	N
Moorish	AS-42	AR-42	N-42	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	
Andorra	AS-44	AR-44	N-44	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Salou	AS-55	AR-55	N-55	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	N
Murcia	AS-63	AR-63	N-63	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Madrid	AS-64	AR-64	N-64	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Tarragona	AS-65	AR-65	N-65	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Barcelona	AS-67	AR-67	N-67	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Malaga	AS-68	AR-68	N-68	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	
Castellon	AS-69	AR-69	N-69	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Granada	AS-74	AR-74	N-74	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Масаи	AS-80	AR-80	N-80	AS/AR	AS/AR/N	AS/AR/N	AS/AR	Ν				
Lakeside	AS-83	AR-83	N-83	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	N
Sahara	AS-87	AR-87	N-87	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	
Madras	AS-88	AR-88	N-88	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	
Prism	AS-93	AR-93	N-93	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Emilia	AS-94	AR-94	N-94	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Forest	AS-95	AR-95	N-95	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	
Almeria	AS-96	AR-96	N-96	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N				
Lunar	AS-97	AR-97	N-97	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	
Arena	AS-98	AR-98	N-98	AS/AR	AS/AR/N	AS/AR/N	AS/AR	N	N	N	N	

### SPECTAL PTECES

### Cove skirting



RC RC 10x20cm 3x



RC-1 3x10cm



RC-E 3x10cm

### One round edge



B1L 20x20cm



B1G 10x20cm

### External corner plece



CX 20x3cm




CX-B 3x3cm



CX-A 3x3cm

### Two round edges



B2L 20x20cm

### Internal corner piece



CV 20x3cm



CV-B 3x3cm



CV-A 3x3cm

<sup>\*</sup>All special pieces available in N-00 Farnham









### ${\bf N}\,$ - Frost resistant glazed stonewear tiles

## PLAIN COLOUR

### TECHNTCAL FEATURES

	Norm Standards	<b>Test results</b> N Series	Test results AS/AR Series
Product Classification	UNI EN 14411	Annexe K Group B1b GL (0.5% <e´3%)< th=""><th>Annexe H Group B111 GL (E&gt;10%)</th></e´3%)<>	Annexe H Group B111 GL (E>10%)
Dimensional and surface quality	UNI EN ISO 10545-2	Conforms	Conforms
Water absorption	UNI EN ISO 10545-3	≤ 2.0%	18% ≤ 20%
Flexural strength	UNI EN ISO 10545-4	40 N/mm²	≥ 13 N/mm²
Frost resistance	UNI EN ISO 10545-12	Conforms	No
Resistance to acids and alkalis (except hydrofluoric acid)	UNI EN ISO 10545-13	GLA	GLA
Wear and abrasion resistance	UNI EN ISO 10545-7	Refer to colours	Not applicable
Stain resistance	UNI EN ISO 10545-14	Class 5	Class 5
Slip resistance	DIN 51130 DIN 51097 PTV (shod)	Anti-Slip finish only R11 B +36	Not applicable

### **Waxman Ceramics Architectural Tiles**

**Head Office** 

01422 377123

Grove Mills Elland West Yorkshire HX5 9DZ England

Email info@waxmanarchitectural.co.uk Web www.waxmanarchitectural.co.uk

Waxman Ceramics Architectural Tiles is a division of Waxman Ceramics Ltd - Part of the Waxman Group