



Waxman Ceramics



YOHO

Glazed Porcelain Tiles

Anti-Slip available



tile
collection

COLOURS



Oak
25x150cm Rectified

Natural (5)
Anti-Slip (5) **A**



Natural
25x150cm Rectified

Natural (5)
Anti-Slip (5) **A**



Maple
25x150cm Rectified

Natural (5)
Anti-Slip (5) **A**



Teca
25x150cm Rectified

Natural (5)
Anti-Slip (5) **A**

Thickness



A = Anti-Slip

Slip Resistance		
	R11	+36
	C	+40

COLOURS



Oak
16.25x66.5cm

Anti-Slip (5) (A)



Natural
16.25x66.5cm

Anti-Slip (5) (A)



Maple
16.25x66.5cm


Anti-Slip (5) (A)



Teca
16.25x66.5cm

Anti-Slip (5) (A)

Thickness



(A) = Anti-Slip

Slip Resistance		
	R11	+36
	C	+40

SPECIAL PIECES



Square Step Edge
33x120cm



Pool Coping
45x75cm



Skirting
9x60cm

= Anti-Slip

Slip Resistance		
	R11	+36
	C	+40



Oak - 25x150cm / Oak - 16.25x66.5cm



Oak - 25x150cm / Oak Square Step Edge - 33x120cm / Oak Pool Coping - 45x75cm



Natural - 25x150cm / Natural Pool Coping - 45x75cm



Maple - 25x150cm / Maple Square Step Edge - 33x120cm



Teca - 16.25x66.5cm

SPECIFICATION & PACKING

Glazed Porcelain Tiles

Suitability	Thickness	Walls		Floors		Frostproof	Colour Variation
		Internal	External	Internal	External		
25x150cm Rectified	11mm	✓	✓	✓	✓	Yes	V1
16.25x66.5cm	10mm	✓	✓	✓	✓	Yes	V1

Packing	Pcs / ctn	M ² / Ctn	Kg / Ctn	Ctns / Pallet	M ² / Pallet
25x150cm Rectified	3	1.12	29.25	42	47.04
16.25x66.5cm	10	1.11	25.30	40	44.40

Waxman Ceramics

Head Office **01422 311331**

Grove Mills
Elland
West Yorkshire
HX5 9DZ
England

Email info@waxmanceramics.co.uk
Web www.waxmanceramics.co.uk

Waxman Ceramics Ltd - Part of the Waxman Group

The information contained within this document is, to the best of our knowledge, accurate at the time of production.
We reserve the right to modify this document at any time.
Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.
Please refer to actual product samples before specifying or ordering.