ARCHITECTURAL COLLECTION

BURANO

Glazed Ceramic Wall Tiles EN14411 Annexe L BIII

EPD 🔊

BR Series





TILE COLOURS

Glazed Ceramic



BO-630 Amber

BO-634

Cotton White

둖

BO-631 Army Green



BO-633 Cloud



BO-637 Jade Blue



BO-638 Midnight BO-639 Moss Green

BO-635

Crocodile



BO-632

BO-636

Espresso

Basil Green




BO-641 Denim



BO-643 Sage Blue



Ginger







BO-646 Steel Blue




BO-647 Teal Blue



BO-648 Terracotta



BO-649 Whale Blue











Crocodile





Glazed Ceramic

	Norm Standards	Test Results
Product Classification	UNI EN 14411	Ceramic Tiles Annex G - Bla
Dimensional and surface quality	UNI EN ISO 10545-2	Complies
Water absorption	UNE-EN-ISO 10545-3	>10%
Chemical Resistance a) Acids b) Alkalis c) Cleaning Products d) Resistance to chemical products in swimming pool water e) Stains Resistance	UNI EN ISO 10545-13	GLB GHB GB J

												Packing		
Material	Size	Finish	Thickness	Internal walls	External walls	Internal floors	External floors	Frostproof	Colour Variation	Tiles / Pack	M² /Ctn	Kg / Ctn	Ctns / Pallet	M² / Pallet
Plain Tiles														
Glazed Ceramic	6.4x26cm	Gloss	8.3mm	•				Yes	V5	30	0.5	8.34	88	?88



01422 377123



info@waxmanceramics.co.uk

Waxman Ceramics 0 Grove Mills Elland West Yorkshire HX5 9DZ

The information contained within this document is, to the best of our knowledge, accurate at the time of production. We reserve the right to modify this document at any time. Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide. Please refer to actual product samples before specifying or ordering.